

Steam Equipment

***Steam Cleaning and Disinfection Equipment
Dry and Saturated Steam Systems***

Ameristeam

855-STEAM-82 www.ameristeam.com

***Distributed in the USA by
Ameristeam LLC
275 Cooper Ave, Suite 114, Tonawanda NY 14150
1-855-STEAM-82
www.ameristeam.com***

Commercial Steam Systems

Dry Steam Cleaning and Disinfection Systems

MondoVap - available with TANCS®

The Best Steam System for Cleaning and Disinfection in the Whole World.

This Steam Vapour Cleaning system is a powerful tool for cleaning deeper, easier and better. Used across Canada in fast food, long term care and other healthy workplaces. Plugs into a standard 120 volt outlet and uses only tap water to produce steam from a continuous boiler. Dry steam vapour (6-8% moisture) extracts dirt and grease from any surface without chemicals. This unit is CSA/NRTL approved. This steamer can also be equipped with the TANCS® disinfection module for one step cleaning and disinfection.



Technical Specs - SteamKing

160°C (320°F) Temperature

2L boiler

6 bar/87PSI

3 Litre water reservoir

1750 watt heating element

120v 1ph 60Hz

5-7 min heating time from cold

\$2650

\$2990 with TANCS®

LadyBug 22005 - available with TANCS®

Small Footprint, Big Power.

The LadyBug 22005 features the same quality construction as our best commercial models. The big difference is that it's not too big! For small areas, this steamer can't be beat. This system comes with all of the tools you need for any cleaning job, and uses our superior red slide lock accessories, which means you can order supplementary accessories for your system from our extensive catalogue. This steamer can also be equipped with the TANCS® disinfection module for one step cleaning and disinfection.



Technical Specs – LadyBug 22005

142°C (289°F) Temperature
1.4L boiler
4 bar/58PSI
1.9 Litre water reservoir
1500 watt heating element
120v 1ph 60Hz
5-7 min heating time from cold

\$1349

\$1599 with TANCS®

LadyBug 2300XL - available with **TANCS®**

Powerful Cleaning on the Go.



The base trolley cart supplied with the LadyBug 2300 XL allows for easy access tool storage. This system comes with red slide lock accessories, so you can order supplementary accessories at any time to use with your system. This steamer can also be equipped with the TANCS® disinfection module for one step cleaning and disinfection.

Technical Specs – LadyBug 2300XL

- 147°C (298°F) Temperature**
- 2L boiler**
- 4.5 bar/66PSI**
- 1.9 Litre water reservoir**
- 1500 watt heating elements**
- 120v 1ph 60Hz**
- 5-7 min heating time from cold**

\$1625

\$1875 with TANCS®

VaporJet - available with TANCS®

Variable Pressure Control for Endless Uses.

The VaporJet system includes a continuous fill, non pressurized water reservoir which allows you to clean, sanitize and disinfect* in one step without ever running out of steam! On/Off switch allows for easy operation, while variable pressure knob allows for precise pressure control. This system comes with all of the tools you need for any cleaning job, and uses our superior red slide lock accessories, which means you can order supplementary accessories for your system from our extensive catalogue.

***For disinfection capability, you can add the TANCS® Module, with lab and clinically proven efficacy against healthcare and foodborne bacteria.**



Technical Specs - VaporJet

160°C (320°F) Temperature
2L boiler
5 bar/72 PSI
3 Litre water reservoir
1750 watt heating element
120v 1ph 60Hz
5-7 min heating time from cold

\$1999

\$2399 with TANCS®

TANCS®

EPA Registered, Non Chemical, Rapid Disinfection Technology.


Thermal Accelerated Nano Crystal Sanitation (TANCS®) is a process which converts ionic minerals from common municipal tap or well water within your steam vapor system to millions of nano crystals.

TANCS® destroys microbes and provides a safe, fast-acting and effective process for disinfection.

Adding TANCS® to your steam system allows you to clean and disinfect all surfaces in one safe and easy step without using chemicals.

Healthcare facilities (acute, long term care and retirement), as well as food services and educational facilities are benefiting from the amazing power of steam disinfection. Enjoy a 99.9999999% reduction in bacteria, spores, cells, biofilms, microorganisms – you get the picture. Achieve the highest level of disinfection available while enjoying the best cleaning results!

TANCS® Equipped Steam Systems are EPA Registered, recognized in the American Journal of Infection Control, featured in the Ontario Provincial Infectious Disease Advisory Committee's Best Practices Cleaning Document, as well as presentations at IPAC and articles in leading cleaning industry publications across North America!



VaporMagic

Steam So Powerful – it's Magic!

VaporMagic has a copper boiler (explosion-proof material) with two external heating elements. Precise component devices such as the thermostat, pressurestat and solenoid valve, guarantee maximum safety by automatically controlling the function of the steamer. VaporMagic is equipped with a wide range of accessories, which enable you to clean even the most difficult and inaccessible places. This machine shines (almost as much as the surfaces you are cleaning!) when space is a concern and power is a must!

Technical Specs - VaporMagic

160°C (320°F) Temperature
2.2L boiler
6 bar/88PSI steam pressure
3 L water reservoir
2x750 watt replaceable external heating elements
120v 1ph 60hz
5-7min heating time from cold
Produces 1.9kg/hour of steam
Variable pressure control and 10' power cord



\$1299

GV 1.8

Portable Power – Highest Steam Volume Available in 120V.



If you are looking for consistently high pressure from a portable 120V steamer then the GV 1.8 is the best choice you can make! An amazing 130PSI pressure with 3kg/hour steam volume combined with our outstanding assortment of red slide lock accessories will impress you with limitless cleaning power. Tackle baked on, built up, ground in and other tough cleaning challenges easily with this total package steam cleaning system. Also available in 220V option.

Technical Specs – GV 1.8

180°C (356°F) Temperature
3.5L boiler
9 bar/130PSI steam pressure
5 Litre water reservoir
5 Litre solution reservoir
1800 watt replaceable heating element
120v 1ph 60Hz
7-10 min heating time from cold
Produces 3kg/hour of steam
Variable Pressure Control and Chemical Injection features



\$3499

GV 3.3

3300 Watts + 220V = Awesome Steam Power.



GV 3.3 is a model example of the difference in power between 110V and 220V Steam Cleaners! This unit supplies an awesome 4.5kg/hour of steam, which increases your cleaning speed, improves your results and offers the many other benefits of steam cleaning – reduced water consumption and waste water production, reduced chemical use and run off, improved air quality, better results and longer asset life! The GV 3.3 has every heavy duty accessory that you will need to maximize the power heat for cleaning!

Technical Specs – GV 3.3

- 180°C (356°F) Temperature**
- 3.5L boiler**
- 9 bar/130PSI steam pressure**
- 5 Litre water reservoir**
- 5 Litre solution reservoir**
- 3300 watt replaceable heating element**
- 220v 1ph 60Hz**
- 7-9 min heating time from cold**
- Produces 4.5kg/hour of steam**
- Variable Pressure Control and Chemical Injection features**



\$4999

Etna

220V Steam and Vacuum Combination Unit.



Dry Steam Vapor doesn't add water to the cleaning process, so there isn't often much to wipe up when the cleaning is done. For tough dirt, Etna offers a Wet/Dry Vac to clean up loosened debris and soil. 220V power allows for powerful steam and vacuum performance combined into one awesome machine with great accessories and features.

Technical Specs - Etna

165°C (329°F) Temperature

3.5L boiler

7 bar/100PSI steam pressure

5 Litre water reservoir

5 Litre solution reservoir

2200 watt replaceable heating elements

220v 1ph 60hz

7-9 min heating time from cold

Produces 4.5kg/hour of steam

Variable Pressure Control and Chemical Injection features

\$3699

Carwash Complete Detailer

Steam, Hot Water, Detergent, Hot Air Dry and Vacuum for Auto Detailing.

Practical, efficient and effective, this machine will meet every requirement of vehicle cleaning and detailing.

A powerful vacuum motor collects wet and dry dirt in a steel vacuum drum with a 20L capacity. The power of steam combined with a wide range of accessories allows the Carwash steam cleaner to deeply clean and dry surfaces including car interiors and carpet.

The three stage vacuum motor allows for effective drying, while the action of the hot air jet eliminates any residual humidity in the fibres. For car seats, the Carwash has a specific upholstery drying bag which provides thorough drying.



Technical Specs - Carwash

150°C (302°F) Temperature (steam)

40°C (104°F) continuous hot water injection

70°C (158°F) hot air blower

2.8L boiler

5 bar/75PSI steam pressure

10 Litre water reservoir

10 Litre solution reservoir

2300 watt replaceable external heating element

1400 watt vacuum

1400 watt hot air heating element

220v 1ph 60hz

5-8 min heating time from cold

Produces 4.8kg/hour of steam

Variable Pressure Control, Ozonator with built in timer and Chemical Injection features

\$3999

Industrial Equipment

Industrial Dry Steam Equipment.

Vesuvio 10, 18 & 30

All Electric Industrial Dry Steam Performance.

These units all feature high heat, low moisture steam at high pressure. By increasing the wattage and electrical supply we increase the volume of steam in each unit and, in turn, increase the intense steam volume and cleaning power!



Technical Specs – Vesuvio 10, 18 & 30

185°C (365°F) Temperature

18L boiler

10 bar/150PSI steam pressure

25 Litre water reservoir

5 Litre solution reservoir

Variable Pressure Control, Chemical Injection and external Water Hook Up for continuous fill

Technical Specs – Vesuvio 10 - \$14999

10,000 watt replaceable heating element

Available in 240/400/480/575V, 3ph 60hz

10 min heating time from cold

Produces 15kg/hour of steam

Technical Specs – Vesuvio 18 - \$17999

19,500 watt replaceable heating element

Available in 400/480/575V, 3ph 60hz

7 min heating time from cold

Produces 22.5kg/hour of steam

Technical Specs – Vesuvio 30 - \$21999

30,000 watt replaceable heating element

Available in 400/480/575V, 3ph 60hz

5 min heating time from cold

Produces 37.5kg/hour of steam

Kolumbo & Kolumbo 2

Diesel Fired Industrial Dry Steam Performance.

These units all feature high heat, low moisture steam at high pressure – with diesel firing options that mean you can enjoy the power of industrial dry steam without having industrial electrical access. Kolumbo 2 is so powerful you can even run 2 cleaning guns at the same time!

Technical Specs – Kolumbo and Kolumbo 2

185°C (365°F) Temperature

18L boiler

10 bar/150PSI steam pressure

25 Litre water reservoir

25 Litre solution reservoir

Variable Pressure Control, Chemical Injection features and external Water Hook Up for continuous fill

Technical Specs – Kolumbo - \$6999

350 watt diesel fired burner

***Available in battery operated,
120/240V, 1 ph, 60hz***

2 min heating time from cold

Produces 37.5kg/hour of steam

Technical Specs – Kolumbo 2- \$8999

350 watt diesel fired burner

Available in 120/240V, 1 ph, 60hz

4 min heating time from cold

Produces 47kg/hour of steam

Simultaneous 2 gun operation



Consumer Steam Systems

Dry Steam Cleaners for Home Use..

Pronto

Handheld Steam Power..



This handheld steamer is great for light surface cleaning and garment steaming. This is portable, powerful and efficient which make it easy to clean hard to reach surfaces. Use only water to keep your home clean and refreshed.

Technical Specs - Pronto

118°C (245°F) Temperature

295ML boiler

4 Bar/58PSI

1200 watt heating elements

120v 1ph 60Hz

2 min heating time from cold

\$99

Steam Dynamo

Batch Steam System with Dynamo Power!



Clean your whole home without chemicals or hassle. On board tool caddy for nozzle and brush storage compliment the garment steaming capability of this machine. Ideal for light chores where you're looking to make a big difference!

Technical Specs – Steam Dynamo

140°C (284°F) Temperature

1500ML boiler

3.5 bar/50PSI steam pressure

1500 watt heating elements

120v 1ph 60Hz

7 min heating time from cold

\$199

Ameristeam

855-STEAM-82 www.ameristeam.com

***Distributed in the USA by
Ameristeam LLC***

275 Cooper Ave, Suite 114, Tonawanda NY 14150

1-855-STEAM-82

www.ameristeam.com